

• 3 pole GDT/Overvoltage arrestor meets ITU T K12/K20 standards

SPEC SHEE



www.adc.com/in • 1800 425 8232

KRONE

LSA-PLUS[®]Protection Magazine 2/10

Specifications

Properties

Connection frequency	>200 times
Environmental	

Temperature operation	5 C to +60 C
Relative humidity	95%, no water condensation, no ice

Materials

Plastics	РВТ
Plastics flammability class	
Contact	Special brass, silver plated

Ordering Information

Description	Quantity	Colour	Product No.
LSA-PLUS [®] Protection Magazine 2/10 (empty)	Each	Grey	6089 2 023 -01
LSA-PLUS [®] Protection Magazine 2/10 (loaded with GDT)	Each	Grey	6089 2 023-08
3 Pole GD Tube / Overvotage arrestor	Each		

SPEC SHEET



distributors.

KRONE Communications Ltd is now as ADC India Communications Ltd.

WARNING – KRONE* TYPE is NOT KRONE*. Occasionally customers may come across copies of KRONE* products being sold in the market which are being passed off as original KRONE* products. Using these products may affect the functionality and quality of your network. Ensure use of original products for an efficient network. Original KRONE products are sold ONLY through ADC authorised



www.adc.com/in 10C, II Phase Peenya Industrial Area Bangalore 560 058

Sales Support: 1800 425 8232

ADC Telecommunications, Inc., P.O. Box 1101, Minneapolis, Minnesota USA 55440-1101 Specifications published here are current as of the date of publication of this document. Because we are continuously improving our products, ADC reserves the right to change specifications without prior notice. At any time, you may verify product specifications by contacting our headquarters office in Minneapolis. ADC Telecommunications, Inc. views its patent portfolio as an important corporate asset and vigorously enforces its patents. Products or features contained herein may be covered by one or more U.S. or foreign patents. An Equal Opportunity Employer

6089 2 023 -XXIN.dot / Issue 2 © 2010 ADC Telecommunications, Inc. All Rights Reserved.